

METINNO®

# 5000 Series

Aluminium Sliding Door System

- Slimline glazing system
- Fully concealed fixings
- No trip hazards with flush mounted floor track system, allowing wheelchair access
- Combine with Metinno Cavity Slider System
- Option of full length integrated handle, acoustic seals and concealed locking
- Available in natural anodised or mill finish for powder coating to any colour




# Sophisticated sliding door system

This system focuses on modern, sharp lines which are the result of the small radii achieved in the design of the aluminium sections. It allows designers to create distinctive workspaces combining practicality with simplicity and it is subtle enough to blend with any office décor.

It allows the option of an attractive and functional sliding door which features a floor track that sits flush with carpet. The lightweight aluminium head guide fixes to the ceiling and eliminates the need for additional structural framework. The sliding door rolls on acetyl wheels which are perfectly combined with the aluminium floor track. It closes into a slimline receiving channel with an adjustable receiving strike with concealed fixings.

The Metinno 5000 Series sliding door incorporates the option of a full height integrated finger grip handle removing the cost of other door hardware. Overall longevity of the system is increased as there is no frame fatigue caused from hinges.












## 5000 Series

### Improve acoustic performance

The uniquely designed rail brings you a sliding door with acoustic seals on all four sides. Whether it is essential for an increased acoustic performance, or improving climate control, this addition to the Metinno 5000 Series will literally close a gap that acoustic specialists and design consultants have been looking for, for many years.

With the acoustic seal in header track and both leading and trailing edge, a significant acoustic value is already achieved. The additional acoustic seal between the base of door and wheel arch of floor track effectively completes the system.








For more product inspiration and to download CAD and Specification files visit [adxarchitectural.com.au](http://adxarchitectural.com.au).

SECTION	CODE	DESCRIPTION	FINISH* & LENGTH	CONNECTS WITH
	5101	Frontline Main Frame	NA 3.1m	5102, 5004, 5204, 5032
	5000	3 Way Corner Post	NA 3.1m	1006, 5004, 5007, 5032, 5204
	5001	Main Frame	NA 3.1m	5007
	5002	Sill Transom	NA 2.8m	5003, 5007
	5003	Sill Bead	NA 2.8m	5002
	5004	Frontline Glazing Adaptor	NA 3.1m	5000, 5101, 5102, 5201, 5202
	5007	Spigot	Mill Finish	5000, 5001, 5002, 5004, 5101
	1006	Flat Filler	NA 3.1m	Series: 1000, 2000, 5000 Main Frames
	5020A	Sliding Door Floor Track Top Section	NA 4.0m	5020B







\*NA: Natural Anodised MF: Mill Finish

# METINNO® 5000 Series

## ALUMINIUM SLIDING DOOR SYSTEM

SECTION	CODE	DESCRIPTION	FINISH* & LENGTH	CONNECTS WITH
	5020B	Sliding Door Floor Track Base	MF 4.0, 6.0m	5020A
	5030	Sliding Door Top Guide	NA 4.0, 6.5m	1020
	5031A	Receiving Stile	NA 3.1m	5031B
	5031B	Receiving Stile Infill	NA 3.1m	1020, 5031A
	5032	Receiving Channel Adaptor	NA 3.1m	5000, 5101, 5033
	5033	Receiving Channel Adaptor Infill	NA 3.1m	5031A, 5032
	5061	Easygrip Stile End Seal	<div>NA 2.8, 3.1m</div> <div>MF 2.8, 3.1m</div>	5412, 5065, PS8, PS13








\*NA: Natural Anodised MF: Mill Finish

SECTION	CODE	DESCRIPTION	FINISH* & LENGTH	CONNECTS WITH
	5062	Trailing Stile Side Seal	NA 2.8, 3.1m MF 2.8, 3.1m	5412, 5064, PS13, PS8
	5063	Leading Stile End Seal	NA 2.8, 3.1m MF 2.8m	5412, 5064, PS13, PS8
	5066	Interlock Stile	NA 3.1m	5412, 5064
	5412	Door Rail	NA 2.8, 6.5m MF 2.9, 6.5m	5413, 5414
	5413	Door Seal Adaptor	NA 2.8m	5412
	5414	Door Bead	NA 2.8, 6.5m MF 2.9	5412






\*NA: Natural Anodised MF: Mill Finish

# METINNO® 5000 Series

## ALUMINIUM SLIDING DOOR SYSTEM

SECTION	CODE	DESCRIPTION	FINISH* & LENGTH	CONNECTS WITH
	5912	Narrow Stile End Seal	NA 6.5m MF 6.5m	5064, PS13, PS8
	5908	Narrow Stile Side Seal	NA 6.5m MF 6.5m	5064, PS16
	5453	Top Roller Pelmet Track	NA 6.5m MF 6.5m	5454, 1020G, 1020B, 5024
	5454	Top Roller Pelmet	NA 6.5m MF 6.5m	5453, 1020G, 1020B
	5024	Top Door Roller	Stainless Steel	5453, 5454
	5461	Top Roller Light Duty Track	NA 6.5m MF 6.5m	5019
	5019	Top Door Roller Light Duty	Stainless Steel	5461

\*NA: Natural Anodised MF: Mill Finish

SECTION	CODE	DESCRIPTION	FINISH* & LENGTH	CONNECTS WITH
	5064	Door Spigot	Mill Finish	5062, 5063, 6002, 6003, 6909, 6910
	5065	Easygrip Door Spigot	Mill Finish	5061
	5022	Commercial Door Roller	Stainless Steel	5412
	PS8	8mm Felt Seal for Leading Stile	Grey & Black	5061, 5063
	PS16	16mm Felt Seal for Trailing Stile	Grey & Black	5062, 5413



DEWNR - ADELAIDE  
OFFICE FITOUT



**METINNO®**

**SLIDING DOOR SYSTEMS**

Get in touch to learn more about the  
Metinno® product range.

*Distributed by:*



**P:** 08 8292 5000 **E:** [solutions@adxdepot.com.au](mailto:solutions@adxdepot.com.au)