METINNO°

Aluminium Skirting

Adding style and durability, Metinno Aluminium Skirting maintains a quality finish.

The aluminium skirting range ensures quality is achieved and maintained throughout all spaces, right down to small details. With a variety of finishes to select from, the skirting is available in two standard heights but can be cut down or guillotined to a desired size.

Features and Benefits:

- Tough surface for office conditions.
- Natural anodised finish so no painting required.
- $\cdot\;$ Variety of fixing methods to suit any application.
- Can be powder coated or painted to suit decor.



METINNO® Aluminium Skirting

- Tough surface for office conditions
- Available in natural anodised, brushed aluminium or mill finish for powder coating to any colour
- Variety of fixing methods to suit any application





METINNO[®] Aluminium Skirting

Sturdy skirting to suit any office condition

The selections of Metinno Aluminium Skirting profiles have great durability in high-traffic areas while maintaining a quality finish. The range facilitates a durable finish to protect walls and provides an aesthetically pleasing finish line between wall coatings and floor finishes. Available in natural anodised, brushed aluminium or powder coated finishes.

Screw Fix

Contemporary skirting with recessed pocket for screw installation that is then concealed by grey or black cover strip in vinyl.

Adhesive Fix

Simply elegant flat skirting for modern clean-line appearance with good resilience and impact resistance.



180 METINNO[®]

ALUMINIUM SKIRTING

1026 | Aluminium Skirting Adhesive Fix 100mm



| Section | Natural Anodised Available Length (m) | Mill Finish Available Length (m) | Brushed Available Length (m) |
|---------|---------------------------------------|----------------------------------|------------------------------|
| 1026 | 3.6 | 3.6 | 3.6 |

1027 Aluminium Skirting Adhesive Fix ISOmm Simply elegant flat skirting for modern clean line appearance with good resilience and impact resistance. Requires minimal maintenance. Simply attach with contact adhesive. Can be powder coated.

| Section | Natural Anodised Available Length (m) | Mill Finish Available Length (m) |
|---------|---------------------------------------|----------------------------------|
| 1027 | 3.6 | 3.6 |

SCT | Skirting Cover Tape

- Provided for screw fix skirting to conceal the screws once installed.
- Inserts simply into the slots provided.
- Grey cover tape complements a minimalist look, as it blends well with the skirting colour.
- Black cover tape provides a smart contrasting feature line around the skirting.

| Section | Available Colours |
|---------|-------------------|
| SCT | Grey, Black |





METINNO[°] Aluminium Skirting

SCREW & ADHESIVE FIX

1025 | Aluminium Skirting Screw Fix 100mm

Contemporary skirting with recessed pocket for screw installation that is then concealed by grey or black cover strip in vinyl.

- Very robust because of recessed pocket.
- Easy screw attachment into studs.
- Black infill strip creates attractive feature & conceals fixings.
- Grey infill strip option for minimalist effect.
- Available in mill finish and natural anodised.
- · Corner posts assist in easy installation.





| Section | Natural Anodised Available Length (m) | Mill Finish Available Length (m) | Connects With |
|---------|--|-------------------------------------|-------------------|
| 1025 | 3.6 | 3.6 | SC100, SCTG, SCTB |

1028 | Aluminium Skirting Screw Fix 150mm



- Black infill strip creates attractive feature & conceals fixings.
- Grey infill strip option for minimalist effect.
- Available in mill finish and natural anodised.
- Corner posts assist in easy installation.



| Section | Natural Anodised Available Length (m) | Mill Finish Available Length (m) | Connects With |
|---------|--|-------------------------------------|-------------------|
| 1028 | 3.6 | 3.6 | SC150, SCTG, SCTB |

150 mm

SC | Skirting Corner 100mm - 150mm

- · Simplifies the finishing off of external corners.
- Tabs slide into meeting sections and neatly keep corner together.
- · Corners can be cut down to suit smaller skirting.
- Can be used in reverse for internal corners.

| Section | Grey Available Length (mm) | Black Available Length (mm) | Connects With |
|---------|-------------------------------|--------------------------------|---------------|
| SC | 100, 150 | 150 | 1025, 1028 |





ALUMINIUM SKIRTING

SM95 | 95mm Shadowmax Skirting

The SM95 profile has been designed to give perfect parallel lines and reduce installation time where a 10mm shadowline is required. The aluminium skirting is used to achieve a modern and contemporary appearance.

- Creates a resilient aluminium skirting with a 10mm shadowline that is flush to the wall.
- · Meets the challenges that existing metal shadowline trims can't fulfil.
- · Gives a consistent line that is straight and true.
- · Simple and easy installation.
- System includes: External corner joiners, straight joiners for sections longer than 4800mm and stud clips to secure base firmly.
- Improved end result.
- · Chromated to provide key for surface painting.
- Designed to compliment the ShadowMax Jamb.

| Section | Mill Finish (Chromated) Available Length (m) |
|---------|---|
| SM95 | 4.8 |





SM135 | 135mm Shadowmax Skirting

The SM135 profile has been designed to give perfect parallel lines and reduce installation time where a 10mm shadowline is required. The aluminium skirting is used to achieve a modern and contemporary appearance.

- Creates a resilient aluminium skirting with a 10mm shadowline that is flush to the wall.
- · Meets the challenges that existing metal shadowline trims can't fulfil.
- · Gives a consistent line that is straight and true.
- Simple and easy installation.
- System includes: External corner joiners, straight joiners for sections longer than 4800mm and stud clips to secure base firmly.
- Improved end result.
- · Chromated to provide key for surface painting.
- Designed to compliment the ShadowMax Jamb.

| Section | Mill Finish (Chromated) Available Length (m) |
|---------|---|
| SM135 | 4.8 |



